

Receiving Report

Date: 14-8-14
 Supplier: Aviall

Batch No: 130090
 Dart P/O: 25349

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SP

Production/Admin:

Date

Received/Costing

Initial

Location

Material Safety Data Sheet



Date of issue 18 March 2013

Version 5

1. Product and company identification

Product name : PS 890 B 2 Part A
Code : PS 890 B 2 Part A
Supplier : PPG Aerospace PRC-DeSoto
12780 San Fernando Road
Sylmar, CA 91342
Phone: 818 362 6711

Emergency telephone number : (412) 434-4515 (U.S.)
(514) 645-1320 (Canada)
01-800-00-21-400 (Mexico)

2. Hazards identification

Emergency overview : DANGER!
OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. SANDING AND GRINDING DUSTS MAY BE HARMFUL IF INHALED. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.
Keep away from combustible material. Do not breathe vapor or mist. Do not swallow. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Potential acute health effects

Inhalation : Harmful if inhaled. Severely irritating to the respiratory system. Can irritate eyes, nose, mouth and throat. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion : Harmful or fatal if swallowed.
Skin : Irritating to skin.
Eyes : Irritating to eyes.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:
respiratory tract irritation
coughing
Ingestion : No specific data.
Skin : Adverse symptoms may include the following:
irritation
redness
dryness
cracking
Eyes : Adverse symptoms may include the following:
pain or irritation
watering
redness

Medical conditions aggravated by over-exposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

This Material Safety Data Sheet has been prepared in accordance with Canada's Workplace Hazardous Materials Information System (WHMIS) and the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See toxicological information (Section 11)

3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Manganese dioxide	1313-13-9	30 - 60
Terphenyl, hydrogenated	61788-32-7	10 - 30
Zeolites	1318-02-1	5 - 10
Polyphenyls, quater- and higher, partially hydrogenated	68956-74-1	3 - 7
Talc, not containing asbestiform fibres	14807-96-6	1 - 5
carbon black respirable	1333-86-4	1 - 5
magnesium carbonate	546-93-0	1 - 5
terphenyl	26140-60-3	1 - 5
1,3-diphenylguanidine	102-06-7	0.5 - 1.5
bis(piperidinothiocarbonyl) tetrasulphide	120-54-7	0.5 - 1.5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Material Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

- Flammability of the product** : Contact with combustible material may cause fire. This material increases the risk of fire and may aid combustion. In a fire or if heated, a pressure increase will occur and the container may burst.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon oxides
nitrogen oxides
sulfur oxides
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

9 . Physical and chemical properties

10 . Stability and reactivity

- Stability** : Stable under recommended storage and handling conditions (see Section 7).
Conditions to avoid : No specific data.
Materials to avoid : Reactive or incompatible with the following materials: acids, oxidizing materials, strong alkalis
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

11 . Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
toluene	LD50 Oral	Rat	636 mg/kg	-
	LD50 Dermal	Rabbit	8.39 g/kg	-
	LC50 Inhalation	Rat	49 g/m ³	4 hours
titanium dioxide	LD50 Oral	Rat	>10 g/kg	-

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Not available.

Defatting irritant

: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Target organs

: Contains material which causes damage to the following organs: brain.
 Contains material which may cause damage to the following organs: blood, kidneys, lungs, the reproductive system, liver, heart, gastrointestinal tract, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

Carcinogenicity

Carcinogenicity : Contains material which may cause cancer, based on animal data. Risk of cancer depends on duration and level of exposure.

Classification

Product/ingredient name	ACGIH	IARC	NTP	OSHA
toluene	A4	3	-	-
titanium dioxide	A4	2B	-	-

Carcinogen Classification code:
 ACGIH: A1, A2, A3, A4, A5
 IARC: 1, 2A, 2B, 3, 4
 NTP: Proven, Possible
 OSHA: +
 Not listed or regulated as a carcinogen: -

Developmental effects : Contains material which may cause developmental abnormalities, based on animal data.

Fertility effects : Contains material which may impair female fertility, based on animal data.

12 . Ecological information

Environmental effects : No known significant effects or critical hazards.

Aquatic ecotoxicity

12 . Ecological information

Product/Ingredient name	Result	Species	Exposure
toluene	Acute LC50 5800 ug/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss	96 hours
	Acute EC50 6000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	Chronic NOEC 28000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours

13 . Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14 . Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Additional information
UN	None.	Not regulated.	None.	-	-
IMDG	None.	Not regulated.	None.	-	-
DOT	None.	Not regulated.	None.	-	<u>Reportable quantity</u> 4409.6 lbs / 2001.9 kg Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

PG*: Packing group

Reportable quantity RQ : CERCLA: Hazardous substances.: thiram (ISO): 10 lbs. (4.54 kg); toluene: 1000 lbs. (454 kg);

15 . Regulatory information

United States inventory (TSCA 8b) : Not determined.

Australia Inventory (AICS) : Not determined.

Canada Inventory (DSL) : Not determined.

China inventory (IECSC) : ☒ At least one component is not listed.

Europe inventory (REACH) : Please contact your supplier for information on the inventory status of this material.

Japan inventory (ENCS) : Not determined.

Korea inventory (KECI) : Not determined.

Product code **PS 890 B 2 Part B**Date of issue **10 March 2013** Version **6**Product name **PS 890 B 2 Part B**

15. Regulatory information

New Zealand (NZIoC) : Substance Use Restricted

Philippines Inventory (PICCS) : Not determined.

United States

SARA 302/304: No products were found.

CERCLA: Hazardous substances.: thiram (ISO): 10 lbs. (4.54 kg); toluene: 1000 lbs. (454 kg);

SARA 311/312 SDS Distribution - Chemical Inventory - Hazard Identification:

Chemical name	CAS #	Acute	Chronic	Fire	Reactive	Pressure
calcium carbonate	471-34-1	N	N	N	N	N
proprietary modified polysulfide polymer	Not available.	Y	N	N	N	N
toluene	108-88-3	Y	Y	Y	N	N
titanium dioxide	13463-67-7	N	Y	N	N	N
proprietary modified polysulfide polymer	Not available.	Y	N	N	N	N

Product as-supplied : Y Y N N N

SARA 313	Chemical name	CAS number	Concentration
Supplier notification	toluene	108-88-3	1 - 5

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Canada

WHMIS (Canada) : Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).

Mexico

Classification

Flammability : 2 Health : 2 Reactivity : 0

16. Other information

Hazardous Material Information System (U.S.A.)

Health : 2 * Flammability : 2 Physical hazards : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health : 2 Flammability : 2 Instability : 0

Date of previous issue : 10/1/2012.

Organization that prepared the MSDS : EHS

☑ Indicates information that has changed from previously issued version.

Disclaimer

16 . Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.



PPG Aerospace
PRC-DeSoto

PRC-DeSoto International, Inc.
ASC - Dallas
2750 114th Street, Suite 400
Grand Prairie, TX 75050 USA
Telephone (817) 640-1067
Fax (817) 640-1058

Pick Ticket Number 080501

Order No. Order Date Cust. No. Cust. P.O. Page No.

0801843 01/16/14 DAO90710 27752A

DA501

PS-PT

Ship Via/Terms

Ship Date/Frt. Code

Shipping Instructions

Warehouse Location

net 30
SEE BELOW

04/18/14

SPEC-AVIALS/ROCKAW 877-500 1215

KW

ST1301
PEC DEFECT 11

Sold To

AVIALS SERVICES, INC.
P.O. BOX 819048
DALLAS, TX 75281-9048
UNITED STATES

Ship To

ITEM PS890B2PT=5N



BATCH 7363698338



AESPARZ
05/06/14

Quantity Ordered	Request Date	Item No./Description	Pick Sequence	UOM	Quantity To Ship	Quantity Picked
------------------	--------------	----------------------	---------------	-----	------------------	-----------------

NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT
FEDEX GROUND COLLECT ACCT #075268572
IF 150 LBS OR MORE USE CEVA LOGISTICS (AVIA27752A) COLLECT
DO NOT SHIP PARTIAL LINES! *** MSDS REQUIRED WITH EACH SHIPMENT ***
MUST HAVE 75% SHELF LIFE.

208 D-05/06/14 0870B1/2BM012FT 3 EA
R-05/06/14 BMS 5-95 TY I CL B 1/2
P-05/06/14 PS 870 B 1/2 PT KIT
Customer Item: PS870B1-2PT=5N

Lot No: 353991-04av
*Location: STOCK
Expires After: 10/14

208

208

In compliance with the chemical registration laws of UNITED STATE

480 D-05/06/14 0890B002CA012PTAV 4 EA
R-05/06/14 PRC STANDARDS
P-05/06/14 PS 890 B 2 PT KIT
Customer Item: PS890B2PT=5N

Lot No: 349565-04
*Location: STOCK
Expires After: 01/15

In compliance with the chemical registration laws of UNITED STATE

035890

DATE SHIPPED		
4-30-14		
# OF BOXES	QTY PER BOX	TOTAL SHIPPED
43	16	688
PACKED BY		VERIFIED BY
JH		W

Batch #: 353991-04AV / 349565-04

Shelf Life: 6-9 mos

Freight

Misc. Charges

Date Mfg: 04/14

Exp. Date: 10/14-01/15

Storage Requirements:



PPG Aerospace
PRC-DeSoto

PRC-DeSoto International, Inc.
ASC - Dallas
2750 114th Street, Suite 400
Grand Prairie, TX 75050 USA
Telephone (817) 640-1067
Fax (817) 640-1058

Pick Ticket Number 501900 CERTIFICATE OF CONFORMANCE

Order No. Order Date Cust. No. Cust. P.O. Page No.
S921848 01/16/14 DA090715 2278791
DA503 DS-PH

We certify that this material has been manufactured and tested in accordance with applicable specification(s). Test data pertaining to this material is on file and available for inspection upon request.

Quality Control

Sold To AVIALL SERVICES, INC
P.O. BOX 619048
DALLAS, TX 75261-9048
UNITED STATES

Ship To 2750 REGENT BOULEVARD
DFW AIRPORT, TX 75261
UNITED STATES

Quantity Ordered	Request Date	Item No./Description	Pick Sequence	UOM	Quantity To Ship	Quantity Picked
NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT FEDEX GROUND COLLECT ACCT #075268572 IF 150 LBS OR MORE USE CEVA LOGISTICS (AVIA2752A) COLLECT DO NOT SHIP PARTIAL LINES! *** MSDS REQUIRED WITH EACH SHIPMENT *** MUST HAVE 75% SHELF LIFE.						

208 D-05/06/14 0870B1/2BM012PT 3 EA
R-05/06/14 BMS 5-95 TY I CL B 1/2
P-05/06/14 PS 870 B 1/2 PT KIT
Customer Item: PS870B1/2PT=5N

Lot No: 353991-044
*Location: STOCK
Expires After: 01/14

208

208

In compliance with the chemical registration laws of UNITED STATE

480 D-05/06/14 0890B002CA012PTAV 4 EA
R-05/06/14 PRC STANDARD
P-05/06/14 PS 890 B 2 PT KIT
Customer Item: PS890B2PT=5N

Lot No: 349565-04
*Location: STOCK
Expires After: 01/15

In compliance with the chemical registration laws of UNITED STATE

035896

DATE SHIPPED 4-30-14		
# OF BOXES 43	QTY PER BOX 16	TOTAL SHIPPED 688
PACKED BY JH7		VERIFIED BY [Signature]

Batch #: 353991-0440/349565-04 Shelf Life: 6-9 mos
Date Mfg: 04/14 / 04/14 Exp. Date: 10/14-01/15

Freight

Misc. Charges

N/R

1204

Storage Requirements:

AVIALL - TRUE CERTIFIED COPY - 08/12/2014 - MLAZO - 7363698338



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25349**

Purchase Order Date 8/11/2014

PO Print Date 8/11/2014

Page Number 1 of 2

Order From :

VU-AVI003

Ship To : DART AEROSPACE LTD

AVIALL
PO BOX 842275

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

DALLAS, TX 75284-2275
USA

Contact Name

Vendor Phone 905-676-1695

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Michael Gregoire

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB EXW - (Ex Works)

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Pri
	Line Comments		Promise Date				
	Delivery Comments						

1	72000-45	PB890-B2 PRO-SEAL (Pint)	8/15/2014		12.00	\$73.19	\$878.2
			No		Each		
			8/15/2014				

Andy

NOTE

Quote# 4500145621

Line Total:

\$878.2

2	71401-45		8/15/2014		0.00	\$0.00	\$0.0
			No				
			8/15/2014				

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A013 SHELF LIFE CONTROLLED MATERIAL; 80% SHELF LIFE REQUIRED AT RECEIPT

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

PO Instructions: Fedex Acc#151793240

Note:

8/11/2014



PACKING LIST



DELIVERY NUMBER: 8000751997

ROUTE: US FedEx International Priority

PAGE:1 of 1
DATE:08/12/2014
TIME:10:05:36
EMP:00022611
ORD TYP: ZOR 169
CURRENCY:USD

CUSTOMER PO:25349
ORDER NUMBER:1000527689
ORDER DATE:08/11/2014

B 10003952
I DART AEROSPACE LTD
L 1270 ABERDEEN STREET
L HAWKESBURY ON K6A 1K7
T CANADA
O

S 10003952
H DART AEROSPACE LTD
I 1270 ABERDEEN STREET
P HAWKESBURY ON K6A 1K7
T CANADA
O

S 1000
H AVIALL CENTRAL WAREHOUSE
I DALLAS CDC
P 2750 REGENT BLVD
F DFW AIRPORT TX 75261-9048
R USA
M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	LIST PRICE	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	10	5N	PS890B2PT SEALANT: PT KIT	12	12	0	EA	97.58	73.19	878.28
BATCH 7363698338			Exp Date: 01/25/2015		12					

This is not an Invoice.
For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods.
Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

JR Hofmann, Director, Global Quality

08/12/2014
Date

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL
RETURNED MERCHANDISE SUBJECT TO HANDLING
FEE.
THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH
THE PROVISIONS OF THE FAIR LABOR ACT OF 1938
AMENDED.

CUSTOMER COPY



A BOEING COMPANY

COMMERCIAL INVOICE

NOEEI FTR 30.36

AVIALL CENTRAL WAREHOUSE
2750 REGENT BLVD
DFW AIRPORT, 75261-9048, USA

Page - 1 of 1

INCO TERMS: EXW - Shipping Point

CUSTOMER PO NO.: 25349
PROFORMA NO.: 9300879135
EXPORT DATE: 12-Aug-2014

DELIVERY NUMBER: 8000751997
ORDER NUMBER: 1000527689

CONSIGNEE: 10003952
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
K6A 1K7, Canada

BILL TO: 10003952
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
K6A 1K7, Canada

ULTIMATE CONSIGNEE: 10003952
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
K6A 1K7, Canada

FORWARD AGENT -- FEDEX

LINE	ITEM	QUANTITY	SELL UOM	BATCH NUMBER	DISCOUNT	NET AMOUNT
	DESCRIPTION	UNIT PRICE	CURRENCY	SERIAL NUMBER	USD	USD
1	PS890B2PT	12.000	EA	7363698338	0.00	878.28
	SEALANT: PT KIT	73.19	USD			

Export Classification: EAR99 Schedule B: 3214100020 Country of Origin: US

Export Authorization Number: NLRAT_AUG_2014

FOR CUSTOM PURPOSES ONLY

GROSS AMOUNT	878.28
INVOICE DISCOUNT	0.00
ADD ON CHARGES	0.00
TAX AMOUNT	0.00
FREIGHT CHARGE	0.00
NET AMOUNT	878.28
DOWN PAYMENT	0.00
NET AMOUNT DUE	878.28

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US laws is prohibited

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR STANDARDS ACT OF 1938 AS

SHIPPERS LETTER OF INSTRUCTION

SHIPERS REF#	DATE	OTHER MARKS AND NUMBERS		PARTIES TO TRANSACTION		
8000751997	08/12/2014			<input type="checkbox"/> Related <input checked="" type="checkbox"/> Unrelated		
SHIPPER: U.S. PRINCIPAL PARTY IN INTEREST(USPPI) AVIALL CENTRAL WAREHOUSE 2750 REGENT BLVD DFW AIRPORT 75261-9048 TX US			SOLD-TO/FOREIGN PRINCIPAL PARTY IN- INTEREST(FPPI) DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY K6A 1K7 ON CA			
USPPI EIN	752401836		Shipping Account Number	400010		
SHIP TO (Complete Name and address) DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY K6A 1K7 ON CA			FORWARDING AGENT FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE 60094-4515 IL			
Routed Export Transaction <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO USPPI FILLING EEI <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO AES ITN: NOEEI FTR 30.36			BIS/DDTC LICENCE No: NLRAT Hazardous Material <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		Incoterms	
POINT(STATE) OF ORIGIN or FTZ NO:		US	COUNTRY OF ULTIMATE DESTINATION:		CA	
Additional Handling Instructions						
<input type="checkbox"/> Dangerous Goods per attached Shipper's Declaration <input type="checkbox"/> Non-Regulated						
<input type="checkbox"/> Shipment intended for Ocean Transportation. Not authorized for Air . <input type="checkbox"/> Shipment intended for Air Transportation. <input type="checkbox"/> Shipment intended for Ground Transportation. Not Authorized for Air.						
<input type="checkbox"/> Cargo Aircraft only <input type="checkbox"/> Authorized for Air and Ocean						
Nature and Quantity of Goods						
CLASSIFICATION AND LICENSING INFORMATION						
Information provided on this manifest including the first 6 digits of the HTS/Schedule B may also be used to fulfill destination country reporting requirement						
D/F/M	Schedule B/HTS	Commodity Description	Qty	Weight (Kilos)	ECCN/USML	VALUES
D - US	3214100020	Non Controlled Article	12.000	18.360	EAR99	878.28
Cargo items tendered for air transportation are authorized and subject to inspection, aviation security controls by air carriers and, when appropriate, other government regulations. Copies of all relevant shipping documents showing the cargo#s consignee, consignor, description and other relevant data will be retained on file. All Export Shipments are authorized for inspection by Customs and Border Protection and/or Office of Export Enforcement.						
SHIPMENT VALUE FOR CUSTOMS:				\$ 878.28		
Commerce: These commodities, technology, or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law is prohibited.						

<p>Regarding Routed Export Transactions: Unless otherwise specified it is specifically agreed that customer shall be the foreign principal party in interest and/or that its freight forwarder shall act as customer's agent in such capacity for purposes of the Foreign Trade Regulations or other regulatory purposes, and customer and its freight forwarder are responsible for all routed export transactions documentation, including, but not limited to, the filing of the required Electronic Export Information/Automated Export System records. At AVIALL's request, or its freight forwarder shall provide copies of any export, shipping, or import documentation prepared by customer or its freight forwarder related to sales to customer by AVIALL.</p>		Skids /Cartons	Dimensions			Gross Weight
			Length	Width	Height	
		01	16.000	16.000	12.000	20.056
<p>Certify that the statements made and all information contained herein are true and correct. I understand that civil and criminal penalties, including forfeiture and sale, may be imposed for making false or fraudulent statements herein, failing to provide the requested information or for of U.S. laws on exportation (13 U.S.C. Sec. 305; 22 U.S.C. Sec. 401, 18 U.S.C. Sec. 1001, 50 U.S.C. app. 2410)</p>						
<p>Print Name (Duly authorized officer or employee):</p>						
Signature:	Date:					
<p>Confidential Electronic Export Information (or any successor document) wherever located, shall be exempt from public disclosure unless the determines that such exemption would be contrary to the national interest (Title 13, Chapter 9, Section 301 (g))</p>						
Carrier Signature:	Date:	Total Skids	1	Total Weight	20.056	